

230 Government Center Dr. Suite 130 Wilmington, NC 28403 (910) 798-7420, Fax (910) 798-7052 e-mail: fireforms@nhcgov.com

Approved by:



Serving and Protecting Wilmington since 1897

CITY OF WILMINGTON FIRE AND LIFE SAFETY

230 Government Center Dr Suite 150 Wilmington, NC 28403 (910) 343-0696, Fax (910) 341-0097 e-mail: fls@wilmingtonnc.gov

e-mail: fireforms@nhcgov.com	e-mail: fls@wilmingtonnc.gov	
	ew Hanover County or in the Wilmington City limits? FIRE LINE PERMIT APPLICATION	
Business Name:	Site Address:	
Property Owner:	Zip: Phone:	
Underground Contractor:	Address:	
License: Phone: _	Fax:	
Email:		
Type of Pipe used:	Pipe Size:	
Thrust Blocks: Yes No Joint Restrain	ints: (Mega Lugs) Yes No	
Will Fire Hydrants be installed on the same Fire	e Line: YesNo	
If Clamps are used, Size of Clamps:		
Are Restraint Straps Used for Tees? Yes	No If So, Size	
minimum flushing time is 30 minutes. A 24-hour minimum notification is needed prior to any of the a 3:00 pm the day prior to the anticipated test will not be sched	vered. The inspector will also witness the hydrostatic testing. The	
The undersigned hereby makes application for a permit and comply with all building regulations and other laws applicable	nd the inspection of all work described above and hereby agrees to the use and type of construction being performed.	
Signature	Date	
If applying for a City permit, you will be invoiced for any If applying for a County permit, please fill out the follow		
Method of Payment: CASH CHECK CREDIT CARE	D CHARGE ACCOUNT #	
FOR OFFICE L	USE BELOW THIS LINE	

Fee:

Permit #

Date: